sunbury design

www.sunburydesign.com

Stylecare[™] three

specialist performance fabrics range D86











sunbury design

FEELER SAMPLES



Lingdale Sea 8610


Oakland Vintage 8624


Mardale Sulphur 8603


Farringdon Miami 8635


Coniston Biscotti 8627


Stylecare[™] waterproof & sanitised upholstery fabrics These fabrics are suitable for severe contract & healthcare upholstery use and are permanently FR to BS 5852 crib 5 Mardale Cadmium 8601 Lingdale Sea 8610 Coniston Sky 8625 Mardale Cadet 8602 Oakland Autumn Leaf 8621 Coniston Brink 8626



















Stylecare are specialist sanitised fabrics from SUNBURY DESIGN specifically for healthcare applications and for use in environments where an impervious, durable, stain resistant, are required.

anti-microbial anti-fungal soil resistant waterproof fire retardant

Technical Specification.

Width: approx. 138cm

Design Repeats (approx): Lingdale - horizontal stripe, verticle repeat 9cm. Mardale - 9.5cm width, 8.5cm height.

please consider when specifying and ordering that due to the nature of these designs and the complex finishing process some allowance may be necessary to accommodate 'bowing' within commercial tolerances.

Anti-microbial / Anti-fungal: SILVERPLUS protection, fresh hygienic finish, no skin irritation, effective against 99.8% of micro-organisms

including: clostridium difficile, listeria monocytogenes, escherichia coli, salmonella enteriditis, staphyloccus aureus (MRSA), pseudomonas aeruginosa, bacillus subtilis, salonella typhimurium, streptococcus faecalis, legionella pneumophila, enterobacter aerogenes, altinata, aspergillus niger,

cladosporium herbarism, penicillium.

Waterproof / Urea Resistant: water or oil based solutions will not penetrate this fabric, PU waterproof film membrane meeting:

BS 3424 part 26 hydrostatic head > 1 mtr.

BS 3424 part 19 - no deterioration after 24 hour 5.5pH and 8.8pH Urea Soak.

Breathable: BS 3546 water vapour permeability 65%.

Soil Resistant: bionic finish, PFOS and PFOA free, excellent stain removal has been observed for; blood, urine, grease,

ball point pen ink, betadine, ketchup, marmalade, mayonnaise, tea, mustard, coffee, iodine,

suntan lotion (for best results always deal with stains immediately).

Flame Retardancy: Upholstery, these fabrics are permanently FR meeting:

BS EN 1021-1: 1994 source 0 cigarette, BS EN 1021-2: 1994 source 1 butane flame, BS 5852: 1990 source CRIB 5, IMO for upholstered furniture, all tests over CMHR 35 foam.

Martindale Abrasion: in excess of 45 000 rubs, exceeds BS standard for Severe Contract Upholstery Use.

Light Fastness: BS EN ISO 105 E02 1999 grade 4/5

Colour Fastness to Rubbing: BS EN ISO 105: 1995 X12 grade 4/5 (wet and dry).

Tear Strength: BS 4303 severe contract grade.

Burst Strength: BS EN ISO 13978 severe contract grade.
Application: Healthcare, Severe Contract upholstery Use

Care and Cleaning:

1. for routine cleaning mild soap & warm water sponging is effective, the best method is a

'wipe & dry' technique. Full immersion or soaking of the fabric is not recommended.

2. mild antiseptic cleaning agents can be used and more stubborn stains may require the use

of a non ionic detergent (following manufacturers instructions).

3. for heavy soiling and infection control we recommend the use of a phenolic disinfectant solution or dilution of Dettol or similar (following manufacturers instructions).

4. for the most effective removal, all staining should be dealt with immediately.

5. <u>do not</u> dry clean, steam clean or use solvents as over time this could affect the performance of these fabrics. Due to the SILVERPLUS anti-microbial, anti-fungal and soil resistant treatments such cleaning practices should not be required.

6. Before any action we advise to check suitability of any cleaning method by applying to an

area out of sight (or on a quality sample).

Colour Matching: samples shown on this card are a guide and minor variations in colour and quality between production

batches are possible. If an exact match is required please advise us at time of order and provide a

cutting to match.



SUNBURY DESIGN

Head Office & Showroom

Sunbury House, Lovet Road, Harlow, Essex CM19 5TB Telephone +44 (0)1279 416060 Fax +44 (0)1279 416838

Washington Branch

5 Faraday Close, Pattinson North Industrial Estate,

Washington, Tyne & Wear NE38 8QA

Telephone (0191) 419 2234 Fax (0191) 419 0724

sales@sunburydesign.com www.sunburydesign.com