


dalma

7024.01 - 7024.22



binder

upholstery

03

vinyl

description

silk woven structure

composition

vinyl coat, cotton/polyester backing

width

± 140 cm, ± 55 inches

weight

backing: ± 110 gr/m², ± 5 oz/yd¹

coating: ± 690 gr/m², ± 31 oz/yd¹

thickness

1.1 mm, 0.04 inches

roll length

± 20 meter, ± 22 yards

flame retardancy

EN 1021/1-2

BS 5852, crib 5

NF P 92/503-507, M2

DIN 4102, B2

IMO 2010 FTP, part 8

UNI 9175, classe 1

Cal TB 117-2013

NF D60-013 (AM18)

NFPA 260, class 1

abrasion

ISO 12947-2

> 125.000 rubs martindale

colorfastness to crocking

ISO 105-X12

wet 5 / dry 5 (scale 1–5)

AATCC 8

wet 4 – 5 / dry 4 (scale 1–5)

colorfastness to light

ISO 105-B02

7 – 8 (scale 1 – 8)

AATCC 16.3: 40 hours

5 (scale 1–5)

resistance to urine

good

resistance to sebum

good



vinyl 
COMMITTED TO
SUSTAINABLE DEVELOPMENT

dalma

7024.01 - 7024.22



7024.18



7024.19



7024.21



7024.11



7024.12



7024.05



7024.08



7024.09



7024.13




7024.22




7024.20




7024.17



7024.15



7024.14




7024.03



7024.02



7024.06



7024.16



7024.10



7024.07



7024.04



7024.01