

BLCC21 CASCADE LOCKER

BLCC21 Cascade Patient Bedside Locker sets the standard for the modern hospital or healthcare facility.

White 25mm MFC top, stain resistant, bleach cleanable. Easy clean laminate with coordinating edges. Quality 65mm locking front castors.

Large top drawer with key lock and 2 lower doors with handles

Colour options for dementia friendly use. Lock options - key lock (standard), digi lock or RFID lock options.



PRODUCT SUMMARY

Scope of Assessment:

From extraction of raw materials through to production of the final furniture unit (cradle to gate).

See page 2 for more details.

Data Used:

Primary data was used wherever possible including for energy use during the core module.

All secondary data was obtained from the Ecolvent database. used in conjunction with SimaPro 7.3.2, using European data only.

Functional Unit:

A Seating solution designed and manufactured for a useful life of approx 10 years +.

See website for warranty information.

MATERIAL DECLARATION

| Material | Amount (kg) | Total (%) |
|-----------------|-------------|-----------|
| Nylon | 0.65 | 1.81 |
| MFC | 33.00 | 91.79 |
| Steel | 2.00 | 5.56 |
| Stainless Steel | 0.30 | 0.83 |

ENVIRONMENTAL SUMMARY

| | |
|---------------------------------------|---------|
| Global Warming Potential (Kg Co2 Eq): | 39.20 |
| Recycled Content (% By Weight): | 44.40 |
| Total Energy Consumption (Mj): | 1419.63 |
| Recyclability (% By Weight): | 99.00 |

Date of Production: February 2018

ENVIRONMENTAL PRODUCT ANALYSIS

This Environmental Product Analysis has been created in accordance with, and following the principles of ISO14025 and ISO14044.

All the Life Cycle Analysis data has been compiled, processed and verified by Oakdene Hollins Ltd.

Compilation and processing of LCA data performed by Dr. Dan Skinner (Oakdene Hollins Ltd.)

Verification of LCA and environmental data performed by Dr. Adrian Chapman (Oakdene Hollins Ltd.)


SUSTAIN

The Senator Group has for many years acknowledged that the key word upon which to focus our attention is Sustainability rather than Recyclability in pure isolation.

Our business takes a truly holistic approach to the design, manufacture, supply and reclamation of our products. We see this as a cyclical process. From design to manufacture, use and reclamation we aspire to minimise all environmental impacts of The Senator Group's products and processes.

We harvest the resources back from the retired products then remanufacture or reintroduce the materials into our component manufacturers supply chain.

We believe in taking responsibility for our own actions ourselves, wherever possible, rather than relying on third parties, or abdicating our responsibilities by offsetting. The process of Sustainability is a cyclical one we understand this and we actively pursue this in everything that we do.



SYSTEM BOUNDARIES

| Resource (Kg) | Upstream | Core | Downstream | Total |
|-----------------|----------|-------|------------|-------|
| From the Air | 57.11 | 1.50 | 0.01 | 58.61 |
| From the Ground | 17.50 | 21.08 | 1.68 | 40.26 |
| From The Water | 0.00 | 0.00 | 0.00 | 0.00 |

ENERGY CONSUMPTION

| Resource (MJ) | Upstream | Core | Downstream | Total |
|---------------------------|----------------|---------------|--------------|----------------|
| Biomass | 633.85 | 16.57 | 0.04 | 650.46 |
| Hydro | 11.91 | 4.89 | 0.21 | 17.01 |
| Solar | 0.01 | 0.00 | 0.00 | 0.01 |
| Wind | 1.02 | 1.01 | 0.01 | 2.62 |
| Non-Renewable Energy (MJ) | 468.20 | 261.67 | 19.66 | 749.53 |
| Total | 1114.99 | 284.72 | 19.92 | 1419.63 |

ENVIRONMENTAL IMPACT POTENTIAL

| Resource | Upstream | Core | Downstream | Total |
|---|----------|-------|------------|-------|
| Global Warming (Kg CO2 Equivalent) | 23.50 | 14.55 | 1.15 | 39.20 |
| Acidification (Kg SO2 Equivalent) | 0.11 | 0.06 | 0.01 | 0.18 |
| Eutrophication (Kg PO43 Equivalent) | 0.00 | 0.00 | 0.00 | 0.00 |
| Ozone Depletion (Kg CFC 11 Equivalent) | 0.00 | 0.00 | 0.00 | 0.00 |
| Photochemical Smog (Kg C2H4 Equivalent) | 0.01 | 0.00 | 0.00 | 0.01 |

TOXIC EMISSIONS

| Resource (Kg) | Upstream | Core | Downstream | Total |
|-----------------|----------|--------|------------|---------|
| From the Air | 27.42 | 325.32 | 112.98 | 1465.72 |
| From the Ground | 0.02 | 0.04 | 0.01 | 0.07 |
| From The Water | 2.05 | 6.15 | 1.68 | 9.88 |

RECYCLED CONTENT

| Material | Recycled Content of Material (% by weight) | Recycled Content In Product (% by weight) |
|--------------|--|---|
| Material | Amount | Percent of Total |
| MFC | 45.00 | 41.40 |
| Steel | 50.00 | 3.00 |
| Total | | 44.400.000 |

CERTIFICATES

| Description | Accreditation | First Certified |
|--------------------------|---------------|-----------------|
| Quality Assurance | ISO 9001 | Certified 1991 |
| Environmental Management | ISO 14001 | Certified 2001 |
| Chain of Custody | FSC® | Certified 2003 |
| Sustainability | FISP | Certified 2006 |



FURNITURE INDUSTRY SUSTAINABILITY PROGRAMME (FISP)

Awarded by FIRA, this sustainability certificate is designed to monitor all sustainability aspects of a company's facilities and operations. The Senator Group achieved one of the first sustainability certifications within the furniture industry – a public declaration of our commitment to improving our performance in every possible way.

ENERGY MANAGEMENT:

External proof that Senator has implemented a robust system to monitor all energy usage and have a process to continually minimise energy usage.

We believe Senator was the first company in the furniture industry to achieve this standard.

CHAIN OF CUSTODY

Independent certification to prove Senator only purchases Wood/MFC/MDF/Chipboard from manufacturers who can prove they purchase their raw wood from sustainable sources.

ENVIRONMENTAL MANAGEMENT

From extraction of raw materials through to production of the final furniture unit (cradle to gate). See page 2 for more details.

THE THREE R'S

Senator is committed to continually improving the sustainability of all environmental aspects within our business. To meet both international standards and our own environmental targets we apply the three R's principle–

REDUCE, REUSE AND RECYCLE.

Whilst recycling is the element which receives the most exposure it is actually the last option available and should never be the prime target in anyone's battle to reduce waste.

It is our duty as individuals and as a company to initially attempt to Reduce usage. Then we should look to Reuse wherever possible and finally, only after these two processes have been exhausted, should we consider Recycling.

–Reduce
–Reuse
–Recycle

ASSESSMENT CONSIDERATIONS

The following necessary assumptions and considerations were made during the course of the Life-Cycle Analysis:

- Manufacture of the furniture components was assumed to take place in the same factory in which the raw materials were processed, due to a lack of case-specific data.
- The transport of all materials, components and finished products was assumed to be via 16-32t Euro 6 lorries.
- All LCA data was modelled using the IMPACT 2002+ (v2.06) method.